

# Sustainability Pathway

PRODUCT & SERVICES



# Overview

---

There are many opinions and approaches to sustainability in the lighting industry. LPA believes that for the lighting to be sustainable - the entire life cycle of a product must be considered from product concept through production, project design, operation and end of life.

The purpose of this document is to provide an overview of the key sustainability aspects and initiatives of LPA Lighting & Energy Solutions (part of LPA Energy Group) products that were incorporated into the products and lighting design and services.





# Our Framework and Approach



## PLANET

Be a leader for decarbonisation by helping our clients through their sustainability, climate, and energy transformations.

### Key Objectives

- Reduce environmental impact of our products, services and operations
- Enable our customers to reduce costs and their carbon footprint



## PEOPLE

Build a positive future for our employees and across the supply chain by promoting inclusive workplace, ethical supply chain and people's development.

### Key Objectives

- Enhance organisational performance through a more diverse, equitable and inclusive culture
- Give preference to suppliers who demonstrate high ethical standards
- Invest in improving health and safety and wellbeing



## PERFORMANCE

Set standards and processes that make a measurable difference to our business, customers and across the supply chain.

### Key Objectives

- Optimise our operations and drive positive outcomes
- Continue evolve our services by making data-driven decisions
- Continue invest in business sustainability performance, systems, policies and training

# Long-term Business Sustainability

We are focused on sustainability in our own operations just as much as on providing our customers with products that increase sustainability in their business.

## Our Carbon Emissions

We have commenced our sustainable journey by initiating the implementation of our GHG Scope 1 and 3 (downstream) emission calculation and reduction strategies, while simultaneously taking a significant step toward environmental responsibility by offsetting our GHG Scope 2 emissions through the adoption of green energy in our Australian offices in Melbourne and Sydney and Oxford, United Kingdom office.



## Our Sustainability Pathways

Drive sustainable business growth and expand global business Scope 1, 2 and 3 greenhouse gas monitoring, measurement and reduction strategies.

Continue to innovate and see growth in our products' sustainability pathway.

*See more in product section.*

Expand our services profile to support sustainability for both our business and clients.

*See more in service section.*



# Achievements

Over the past 18 months, we have been driving our market-leading position with credentials from leading organisations within the sustainability reporting space.

## ISO 14001 Environment Management Certification

In 2022, LPA Energy Group achieved ISO 14001 certification and has developed a standardised approach to managing an organisation with a sustainable focus.



## ISO 45001 Occupational Health & Safety Management Certification

In 2022, LPA Energy Group achieved ISO 45001 certification and uses the standard to manage and improve workplace Health & Safety.



## EcoVadis Sustainability Rating

In 2023, LPA Lighting achieved a silver medal in the recent evaluation conducted by EcoVadis, the leading provider of corporate sustainability ratings worldwide. This internationally recognised award signifies our achievement of a score within the top 5% among all companies assessed in our category.



## Environmental Product Declarations (EPD)

We are expanding our portfolio of EPD's to cover 8 product families. EPD provides environmental information about the lifecycle environmental impact of a product.





# Our Products & Services

We provide services that drive innovative, functional, adaptable and efficient solutions, assisting our clients in building energy optimisation.

LPA Energy Group leads R&D and practical implementation in both lighting and resource optimisation technology domains. We offer systems that use data, automation and intelligence to assist in managing energy consumption from smart lighting and multiple other consumers enabling data-driven decisions using task and project-appropriate multi-layered, coordinated systems such as local automated controls and cloud-based software such as our WideSky platform.



## LIGHTING PRODUCTS

LPA has provided lighting solutions across the globe for over 30 years. Our team have the knowledge and experience to deliver projects at any scale, in any location around the world



## LIGHTING DESIGN

Our globally distributed teams of expert designers provide customised and impactful solutions compliant with local codes that consider zones, layers and fixtures to achieve the best possible lighting outcome whilst minimizing maintenance and energy consumption.



## SMART LIGHTING CONTROLS

We partner with 3rd parties to offer full end-to-end Smart Lighting Systems providing our clients with convenient ways of automating operations for optimal lighting results technologies such as Casambi, DALI, KNX provide freedom of choice, legacy compatibility and future-proof cyber security along with easy commissioning and operation.



## DATA MONITORING & MANAGEMENT SYSTEMS

Merging smart lighting systems with our WideSky software management platform brings a new approach to the integration of all aspects of smart building data.

WideSky monitors, analyses and reports on energy usage, the indoor environment, and space utilisation in real-time giving you visibility, insight, and control over the performance of your working environment.



# Product

**The linear economy is a thing of the past, we are reimagining the life cycle of our products.**

LPA products are designed and manufactured to meet the needs of each project, but no less attention is paid to product sustainability. We consider every aspect of our products from materials to use, use and maintenance to end-of-life disposal.

In addition, we uphold our commitment to environmental responsibility by disclosing the product's carbon footprint.



CIBSE TM65: Embodied Carbon Calculation



EPD: Product Life Cycle Assessment (LCA)

## Product design:

- Focus on durability, longevity and repairability

## Material circularity:

- Reduction of virgin materials
- Reduction of plastic in product packaging

## LED technology:

- Energy efficiency optimisation
- Energy quality




Figure 1 LPA Circular Product & Service Diagram



# Product

The linear economy is a thing of the past, we are reimagining the life cycle of our products.

We have been collaborating with our suppliers to incorporate every aspect of the circular economy into our product designs:



Up to 90%  
of recyclable  
materials

## MATERIAL

We prioritise materials from renewable sources with a high recyclability rate to ensure that nothing goes to waste at the end of a product's life.

90% is the highest rating for recyclable materials in some of the main downlights and track lights, with the remainder made up of electronic components that can be recycled through the e-waste scheme.




90% reduction  
of carbon in  
packaging

## PACKAGING

100% of the core LPA product range comes in plastic-free packaging.

We have reduced the packaging carbon footprint by 90% by switching to paper packaging. What's more, all packaging is made of recycled paper and cardboard.



On target to  
improve product  
circularity for core  
range by 2025

## PRODUCT DESIGN

Standard LPA downlights and track lights are now designed to allow for easy upgrades or modifications. For instance, products are serviceable so it can be easily disassembled, have internal components replaced, changed accessories and eventually parts recycled.

We use CIBSE TM66: Circular Economy Assessment Methods to evaluate our product design and identify areas of improvement.



Up to 50%  
LED efficacy  
increase

## ENERGY EFFICIENCY

Today, we continue to focus on improved product design, with a particular emphasis on optimizing energy consumption and LED technology.

Reduction of energy consumption by reducing power (W) and improving LED efficacy (lm/W) contributes to reducing the carbon footprint of the product during the service phase.



# Environmental Product Declaration



EPDs (Environmental Product Declarations) tell the environmental story of a product throughout its life cycle in a clear, science-based, and transparent format, often compared to nutrition labels on food products.


At LPA, we utilise EPDs to shape our product sustainability strategy. For our clients, EPDs can help them obtain LCA credits in certification schemes such as LEED, BREEAM, Green Star, and others.

Starting in 2022, in collaboration with our suppliers, we initiated the process of collecting EPD data and analyzing each stage of our product life cycle, from material selection to recycling. To guide our efforts in reducing the environmental impact, we developed a Product Sustainability Heatmap, focusing on strategies for each life cycle stage.

We learned that the most impact happens after the products have left our hands. How the customer uses the product is the main contributor to the total energy consumption associated with a product when seen over its entire lifetime.

By providing EPDs and informing our customers about the energy consumption of our products, we aim to guide them in choosing not only our products but also services that promote efficient use, the longevity of our LPA luminaires, and the prevention of unnecessary energy wastage.

We have carefully selected eight product models for EPD assessment and are working towards obtaining third-party verified EPDs by November 2023.



2022	2023 - Present	2023 – November
Data collection	Analysis of energy used in materials processing and manufacture processes, raw materials, logistics, application and end-of-life recycling	Verification of EPDs by third party accredited body, publish on International EPD® System





# RELIGHT

**The circular economy does not end at the product supplier, it continues through the use phase of the product until the end of its life.**

Both the product supplier and the consumer are responsible for closing the loop.

LPA is delighted to be offering a Re-Light program, a simple solution to repair, reuse, and recycle lighting products.

Additionally, we can quantify the carbon reduction impact by using CIBSE's TM65: Embodied Carbon Calculation and comparing products that undergo Re-Light refurbishment with brand new replacements of the same kind.

[Learn More](#)






# Service

## Service that enhances sustainability.

At LPA, we match a superior design with excellent technology to reduce the need for artificial lighting and decrease energy consumption in a building without compromising human experience or safety.

## Our designs utilise:

- **Natural Light:** By considering the natural elements there is a way to deliver more efficient illumination and reduce energy consumption and support the physical and psychological well-being of people in space.
- **Lighting Control:** By integrating smart technologies, our design team can utilise lighting controls in individual zones, by implementing motion and occupancy sensors that contribute to reducing energy consumption.
- **Visual Light Comfort:** The design itself is meant to evoke feelings, interests, and emotions. Lighting is fundamental to showing or enhancing the experience. Our design team ensures compliance with the applicable technical local codes and client specifications regarding illumination levels, glare, obtrusive and spill light as well as energy density as a starting point. The “LPA Standards” always seek new ways to be more efficient and to ensure visual efficiency in delivering the client’s ultimate objectives for the space.



1 LUX PLOT  
SCALE: NTS

LUMINAIRE SCHEDULE									
Tag	Symbol	Label	LF	Lum. Lumens	Qty	LT AB	Watts	Total Watts	
D1A		D1A LUX PRO M 20W 4000K	0.800	2700	36	27.46	960.00		
D1B		D1B LUX PRO M 20W 4000K	0.800	2700	6	16.45	159.00		
D2		D2 LUX PRO S 15W 4000K	0.800	1004	12	11.67	144.00		
L1 1200		L1 1200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 1800		L1 1800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 3600		L1 3600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 4800		L1 4800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 6000		L1 6000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 7200		L1 7200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 8400		L1 8400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 9600		L1 9600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 10800		L1 10800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 12000		L1 12000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 13200		L1 13200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 14400		L1 14400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 15600		L1 15600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 16800		L1 16800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 18000		L1 18000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 19200		L1 19200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 20400		L1 20400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 21600		L1 21600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 22800		L1 22800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 24000		L1 24000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 25200		L1 25200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 26400		L1 26400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 27600		L1 27600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 28800		L1 28800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 30000		L1 30000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 31200		L1 31200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 32400		L1 32400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 33600		L1 33600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 34800		L1 34800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 36000		L1 36000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 37200		L1 37200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 38400		L1 38400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 39600		L1 39600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 40800		L1 40800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 42000		L1 42000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 43200		L1 43200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 44400		L1 44400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 45600		L1 45600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 46800		L1 46800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 48000		L1 48000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 49200		L1 49200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 50400		L1 50400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 51600		L1 51600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 52800		L1 52800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 54000		L1 54000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 55200		L1 55200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 56400		L1 56400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 57600		L1 57600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 58800		L1 58800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 60000		L1 60000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 61200		L1 61200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 62400		L1 62400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 63600		L1 63600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 64800		L1 64800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 66000		L1 66000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 67200		L1 67200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 68400		L1 68400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 69600		L1 69600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 70800		L1 70800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 72000		L1 72000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 73200		L1 73200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 74400		L1 74400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 75600		L1 75600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 76800		L1 76800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 78000		L1 78000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 79200		L1 79200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 80400		L1 80400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 81600		L1 81600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 82800		L1 82800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 84000		L1 84000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 85200		L1 85200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 86400		L1 86400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 87600		L1 87600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 88800		L1 88800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 90000		L1 90000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 91200		L1 91200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 92400		L1 92400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 93600		L1 93600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 94800		L1 94800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 96000		L1 96000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 97200		L1 97200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 98400		L1 98400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 99600		L1 99600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 100800		L1 100800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 102000		L1 102000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 103200		L1 103200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 104400		L1 104400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 105600		L1 105600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 106800		L1 106800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 108000		L1 108000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 109200		L1 109200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 110400		L1 110400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 111600		L1 111600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 112800		L1 112800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 114000		L1 114000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 115200		L1 115200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 116400		L1 116400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 117600		L1 117600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 118800		L1 118800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 120000		L1 120000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 121200		L1 121200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 122400		L1 122400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 123600		L1 123600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 124800		L1 124800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 126000		L1 126000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 127200		L1 127200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 128400		L1 128400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 129600		L1 129600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 130800		L1 130800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 132000		L1 132000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 133200		L1 133200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 134400		L1 134400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 135600		L1 135600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 136800		L1 136800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 138000		L1 138000 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 139200		L1 139200 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 140400		L1 140400 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 141600		L1 141600 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 142800		L1 142800 LUX PRO M 20W 4000K	0.800	2700	2	27.46	549.00		
L1 144000		L1 144000 LUX PRO M 20W 4000K	0.800	2700	2				



# Smart Lighting Controls

---

Smart lighting systems are a powerful tool for reducing energy demand and minimizing the environmental impact of buildings compared to traditional static systems.

There are two types of smart lighting systems:

- Traditional smart lighting systems: These systems utilize a network of cables that are hardwired to a centralized control unit. The central control unit manages the operation and control of the lights.
- Wireless mesh network smart lighting systems: In this type of system, each light has its own operating rules and instructions, without the need for a central control unit. The lights communicate with each other through a wireless mesh network.

Both types of systems can be connected to an independent data layer, such as the WideSky cloud. This integration allows for centralized data management and analysis, enhancing the functionality and efficiency of smart lighting systems.

At LPA, we collaborate with integration partners to carefully select the most suitable lighting control and management technology for each project, considering the budget and specific requirements. This allows us to seamlessly deliver outstanding lighting solutions, ranging from simple automation to highly complex dynamic lighting management.





# WideSky

Proudly owned by LPA Energy Group, WideSky offers a wide range of solutions to customers in the commercial, industrial and energy sectors.

WideSky can unlock the value of energy, environmental and building data. Our team has decades of operational and information technology experience, coupled with our partner network, we can implement future-proofed, well-supported solutions tailored to your business on a global scale.

To understand the full concept of the benefits of the WideSky solution, LPA offers a workshop specifically tailored to your business

[Learn More](#)





# Product Sustainability Analysis


We will use the selected track light product range to identify improvements in product circularity and sustainability. We will provide a product comparison to a typical 3D-printed light fixture, followed by a discussion on biomaterials.

**Product:** ST-A536


**Product Description:** a typical track light made of aluminium and PC parts.




## Material Analysis




## Carbon Footprint



## Packaging



## Energy Efficiency




The saving of choosing LPA Re-Light is 1500 kgCO22 per 100 products, this equates to carbon sequestered by 24.8 tree seedlings grown for 10 years\*\*



Based on TM65: Basic Carbon Calculation  
\*\* EPA Greenhouse Gas Equivalencies Calculator

# Product Analysis



## ST-A536 (LPA)

A standard ST-A536 is mass-manufactured and assembled using standard injection moulding, die-casting and assembly methods in-house. Fitting is made of 50% recycled materials, mainly aluminium components, 32% virgin materials such as plastic components and wiring, while the rest 18% is electronic mix.

At the end of the product's life, the product can be removed from general landfills by recycling under the WEEE waste scheme.

### Key outtakes:

- Recyclable materials >82%
- Landfill only 1%
- Electronics require specialised recycling (WEEE)
- Can not be disposed of with general waste
- Lower cost



## Generic 3D Printed Luminaire

The presented product uses biodegradable plastic materials commonly used for 3D printing. 3D printing can reduce inventory and logistics resources, and eliminate tooling for the same items, however, the process is substantially more energy-intensive per kg of finished product than mass-produced items using processes such as injection moulding, high-pressure die casting, and extrusion.

At the end of life, biodegradable materials must be recycled at dedicated facilities; otherwise, they will end up in landfills just like standard plastics.

### Key outtakes:

- Recyclable materials >40%
- Biodegradable materials >30%
- Potential landfill approx. 20%
- Requires specialised recycling (bioplastics). Limited services
- Can not be disposed of with general waste
- Higher cost



# Discussion

---

LPA Energy Group is excited about renewable resources and manufacturing technologies, and our WideSky team supports multiple clients operating in these industries. Our R&D team across all business sectors, from lighting to IoT, continuously tests and evaluates the potential environmental benefits of additive manufacturing coupled with decentralized production and biodegradable materials.

## Renewable Materials vs Biodegradable

LPA recognizes the benefits of biodegradable materials but would like to emphasize the advantages of using recycled and easily recyclable materials too. We are confident that delivering significant and sustainable lifecycle benefits right now is best achieved through maximizing the use of recycled materials and selecting easily recyclable materials wherever technically feasible.

Delivering true circularity requires early-stage design decisions regarding materials, mechanical design, production methodology and location enabling both maximizing the useful product life and closing the loop at the end of that life. These decisions must not compromise product efficiency and thereby increase overall resource consumption.

## 3D Printing

The LPA team has been continuously using 3D printing in the design and production of prototypes. Our in-house resources design and produce FDM prototypes, custom tooling, assembly jigs, QA tools and even office fit-out components across the group.

LPA is offering a Re-Light program (repair and reuse) as part of the product design and development. We utilize specialized Additive Manufacturing service bureaus to manufacture special components for permanent installation using appropriate materials and 3D printing technologies.



